




SNR BEARINGS ITALY S.P.A.



35 mm x 62 mm x 36 mm INA SL185007 Cylindrical Roller Bearings

Bearing No. SL185007

SL185007 Bearing 2D drawings and 3D CAD models

| | |
|----------------------|--|
| Size | 35x62x36 mm |
| Bore Diameter | 35 mm |
| Outer Diameter | 62 mm |
| Width | 36 mm |
| d | 35 mm |
| D | 62 mm |
| B | 36 mm |
| C | 18 mm |
| D ₁ | 51,2 mm |
| d ₁ | 44,9 mm |
| E | 55,52 mm |
| r _{min} | 1 mm |
| s | 1,5 mm / Axial displacement |
| m | 0,46 kg / Weight |
| C _r | 94000 N / Dynamic load rating (radial) |
| C _{0r} | 107000 N / Static load rating (radial) |
| C _{ur} | 18800 N / Fatigue limit load, radial |
| n _G | 7100 1/min / Limiting speed |
| Category | Cylindrical Roller Bearings |
| Inventory | 0.0 |
| Manufacturer Name | SCHAEFFLER GROUP |
| Minimum Buy Quantity | N/A |



SNR BEARINGS ITALY S.P.A.

| | |
|---------------------------|--|
| Weight / Kilogram | 0.551 |
| EAN | 4012802136104 |
| Product Group | B04144 |
| Bore Profile | Straight |
| Cage Material | None |
| Precision Class | RBEC 1 ISO P0 |
| Number of Rows of Rollers | Double Row |
| Separable | No |
| Rolling Element | Cylindrical Roller Bearing |
| Profile | Complete with Outer and Inner Ring |
| Snap Ring | No |
| Internal Clearance | C0-Medium |
| Retainer | No |
| Relubricatable | Yes |
| Inch - Metric | Metric |
| Other Features | Full Complement 3 Rib Inner Ring 1 Rib Outer Ring with Retaining Ring Operating Temperature From -30 to 120 Deg |
| Long Description | 35MM Bore; Straight Bore Profile; 62MM Outside Diameter; 36MM Width; RBEC 1 ISO P0; Double Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer |
| Category | Cylindrical Roller Bearing |
| UNSPSC | 31171547 |
| Harmonized Tariff Code | 8482.50.00.00 |
| Noun | Bearing |
| Manufacturer URL | http://www.ina.com |
| Manufacturer Item Number | SL185007 |
| Weight / LBS | 1.214 |



SNR BEARINGS ITALY S.P.A.

| | |
|------------------|----------------------------|
| Bore | 1.378 Inch 35 Millimeter |
| Width | 1.417 Inch 36 Millimeter |
| Outside Diameter | 2.441 Inch 62 Millimeter |